

## HEART PINE - CHARACTER SELECT NAILY

---

Emphasizes the lovely pattern created by the stains of old nail holes.

### DENSITY

---

50% dense grain (8 rings per inch)

### HEARTWOOD

---

75% Heartwood

### GRAIN

---

No restriction on mixture of flat-sawn and vertical grain

### COLOR

---

Unlimited color variation

### KNOTS

---

Firm knots allowed, very occasional black knots. No limitations on frequency of firm knots. Sizes shall be maximum 2" diameter in boards less than 6" wide, 3" diameter in boards 6" and wider

### TEXTURE

---

Re-sawing and milling removes all but very infrequent saw marks and previous wear patterns.

### HOLES

---

Nail holes generally limited to 1/4" diameter. 50% or more of boards will have unlimited nail holes, occasional nail holes allowed in balance of boards.

### DISCOLORATION

---

Unlimited ferrous staining usually found around fastener holes, blue stain may be present in sapwood.

### CHECKS

---

Non-structural checks occasionally allowed up to 1/8" wide. No shake. Sound pith allowed.

### LENGTHS

---

2' - 12' is standard, 5' - 7' average

\* Grading applies to flooring and boardstock, all material graded best face.

## PIONEER MILLWORKS

1180 COMMERCIAL DRIVE :: FARMINGTON NY 14425 :: (800) 951-9663

FAX (585) 924-9962 :: [www.pioneermillworks.com](http://www.pioneermillworks.com) :: [jered@pioneermillworks.com](mailto:jered@pioneermillworks.com)